UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
122790/UPPCB/Banda(UPPCBRO)/CTO/water/BANDA/2021

Dated : 06/03/2021

To ,

Shri MANOJ KUMAR SHIVHARE
M/s BAMDEV SMART SOLUTIONS PRIVATE LIMITED
Gata No-474, Mauza Mohanpurwa, BANDA, 210001
BANDA

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. BAMDEV SMART SOLUTIONS PRIVATE LIMITED

Reference Application No :11536722 **Dated :06/03/2021**

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. BAMDEV SMART SOLUTIONS PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tant/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 04/03/2021 to 31/12/2025 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

Ajay Kumar Sharma
Digitally signed by Ajay Kumar Sharma
Date: 2021.03.06 18:49:03 +05'30'

For and on behalf of U.P. Pollution Control Board

Chief Environmental Officer (circle-2)

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, UPPCB, Banda with direction to send the compliance report of CTO conditions on quarterly basis.

Ajay Kumar Sharma
Digitally signed by Ajay Kumar Sharma
Date: 2021.03.06 18:49:17 +05'30'

Chief Environmental Officer (circle-2)

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.BAMDEV SMART SOLUTIONS PRIVATE LIMITED vide

Consent Order No. 11536722/ Water Dated : 06/03/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of treatment and disposal of Bio Medical Waste double chambered incinerator of capacity 250 Kg/hr, Autoclave of capacity 250 Kg/hr and Shredder of capacity-250 kg/hr..

2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	**Kind of Effulant**	**Maximum daily discharge,KL/day**	**Treatment facility and discharge point**
1	Domestic	1.0 KLD	Septic Tank
2	Industrial	3 KLD shall be recycled for scrubbing purpose and for irrigation	ETP

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effulant		
S.No	**Parameter**	**Standard**

4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effulant		
S.No	**Parameter**	**Standard**
1	BOD	30 mg/l
2	COD	250 mg/l
3	Total Suspended Solids	100 mg/l
4	Oil & Grease	10 mg/l

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .

6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .

7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.

8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .

9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This consent is valid for treatment and disposal of Bio Medical Waste double chambered incinerator of capacity 250 Kg/hr, Autoclave of capacity 250 Kg/hr and Shredder of capacity-250 kg/hr.
2. The CBWTF shall comply with the conditions of Environmental Clearance issued by SEIAA vide letter no. 587/Parya/SEAC/4647-5318/2018 dated 08-02-2020.
3. The CBWTF shall comply with the conditions of CTE issued by Board vide letter no. 60477/UPPCB/Banda (UPPCBRO)/CTE/BANDA/2019 Dated:- 27/02/2020
4. The CBWTF shall comply with the emission Standard for treatment and disposal of Bio-medical waste by incineration as per Schedule-II of BMW Rules 2016.
5. Incinerator should be operated in accordance with Bio-Medical Waste Management Rules, 2016 w.r.t. maintenance of Temperature for primary and secondary chamber of incinerator.
6. The water generated from scrubbing system of incinerator shall be treated through ETP and treated water shall be recycled for scrubbing purpose and for irrigation in the premises. No effluent shall be discharged directly or indirectly outside the premises.
7. The effluent generated from scrubbing system of incinerator and Vehicle washing etc, shall be treated through ETP of capacity 5 KLD and treated water shall be recycled for scrubbing purpose and for irrigation within the premises. No industrial effluent is permitted to discharge directly or indirectly outside the premises.
8. Record w.r.t. operational parameter of autoclave such as temperature pressure etc. as well as records for validation test conducted to check efficiency of autoclave shall be maintained.
9. The transportation of Bio Medical Waste shall be done through GPS enabled vehicles and detail of vehicles with registration number, name and mobile number of driver shall be submitted to the UPPCB within a week.
10. PTZ camera shall be installed in process house and storage area of received Bio medical waste. Facility shall provide the URL and password to the Board within 01 month.
11. The washing of vehicle tires shall be done in a specific location and the generated waste water shall be treated through effluent treatment plant.
12. Discarded medicine shall be disposed through incinerator as per BMW Rule, 2016 and sharp pit should be provided for disposal of waste sharp as per CPCB Guidelines.
13. The CBWTF should comply with the Bio Medical Waste Management Rules 2016 and annual report should be submitted.
14. The CBWTF should comply with the provisions of Hazardous and Other waste (Management and Trans boundary Movement) Rules, 2016.
15. The facility shall ensure bar coding system to be adopted by member healthcare facilities in accordance with Bio Medical Waste Management Rules (BMWM) 2016.
16. Industry shall comply with the Office memorandum no. H 48273/C-1/NGT-83/2020 dated 27.02.2020 issued by UPPCB.
17. The Facility shall develop and maintain green belt as per the guidelines issued by the Board vide office order dated 16/02/2018, which is available on Board's Website- www.uppcb.com. The proposal for plantation in the coming monsoon shall be submitted within 01 month.
18. Separate space for untreated Bio Medical Waste should be provided by facility as per CPCB guidelines/Bio Medical Waste Management Rules 2016
19. The CBWTF shall comply with the conditions of NOC issued from CGWA for withdrawal of ground water.
20. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
21. Consent fees if revised, shall be payable by industry from the date of its applicability.
22. Industry shall comply with the relevant provisions of Environmental Laws.
23. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.

Issued with the permission of competent authority .

Ajay Kumar Sharma

Digitally signed by Ajay Kumar Sharma
Date: 2021.03.06 18:49:32 +05'30'

For and on behalf of U.P. Pollution Control Board .

Chief Environmental Officer (circle-2)

UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. - 122793/UPPCB/Banda(UPPCBRO)/CTO/air/BANDA/2021 **Dated : 06/03/2021**

To ,

Shri MANOJ KUMAR SHIVHARE
M/s BAMDEV SMART SOLUTIONS PRIVATE LIMITED
Gata No-474, Mauza Mohanpurwa, BANDA, 210001
BANDA

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. BAMDEV SMART SOLUTIONS PRIVATE LIMITED

Reference Application No. 11536917 Dated : 06/03/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s BAMDEV SMART SOLUTIONS PRIVATE LIMITED. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 04/03/2021 to 31/12/2025 .
3. Inspite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Previntion and Controt of Pollution) Act, 1981 as amended.

This consent is being issued with the permission of competent authority .

Ajay Kumar Sharma
Digitally signed by Ajay Kumar Sharma
Date: 2021.03.06 18:52:32 +05'30'

For and on behalf of U.P. Pollution Control Board

Chief Environmental Officer (circle-2)

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, UPPCB, Banda with direction to send the compliance report of CTO conditions on quarterly basis.

Ajay Kumar Sharma
Digitally signed by Ajay Kumar Sharma
Date: 2021.03.06 18:52:52 +05'30'

Chief Environmental Officer (circle-2)

U.P. Pollution Control Board

Dated : 06/03/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of treatment and disposal of Bio Medical Waste double chambered incinerator of capacity 250 Kg/hr, Autoclave of capacity 250 Kg/hr and Shredder of capacity-250 kg/hr..
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.

3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	**Air Polution Source**	**Type of Fuel**	**Stack No.**	**Parameters**	**Height**
1	Incinerator 250 Kg/hour	LPG	01	Particulate Matter	35 meter from ground level with scrubbing system.
2	D.G. Set-82.5 KVA	HSD	02	Particulate Matter	As per norms with acoustic enclosure.

3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	**Stack No**	**Parameter**	**Standard**
1	01	Oxides of Nitrogen	400 mg/Nm3
2	02	Particulate Matter	less than of equal to 0.2 g/kW-hr
3	01	Particulate Matter	50 mg/Nm3
4	01	Particulate Matter	HCL-50 mg/Nm3, Total Dioxins and Furans-0.1 ngTEQ/Nm3 (at 11% O2), Hg and its compound 0.05 mg/Nm3

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitering report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This consent is valid for treatment and disposal of Bio Medical Waste double chambered incinerator of capacity 250 Kg/hr, Autoclave of capacity 250 Kg/hr and Shredder of capacity-250 kg/hr.
2. The CBWTF shall comply with the conditions of Environmental Clearance issued by SEIAA vide letter no. 587/Parya/SEAC/4647-5318/2018 dated 08-02-2020.
3. The CBWTF shall comply with the conditions of CTE issued by Board vide letter no. 60477/UPPCB/Banda (UPPCBRO)/CTE/BANDA/2019 Dated:- 27/02/2020
4. The CBWTF shall comply with the emission Standard for treatment and disposal of Bio-medical waste by incineration as per Schedule-II of BMW Rules 2016.
5. The Noise level and emission from the D.G. set of 82.5 KVA capacity shall be maintained within the prescribed limit.
6. CBWTF shall submit quarterly Stack Monitoring Report of incinerator done through Board/MoEF approved/NABL accredited laboratory.
7. Incinerator shall be operated in accordance with Bio-Medical Waste Management Rules, 2016 w.r.t. maintenance of Temperature for primary and secondary chamber of incinerator.
8. Record w.r.t. operational parameter of autoclave such as temperature, pressure etc. as well as records for validation test conducted to check efficiency of autoclave shall be maintained.
9. Incinerator Ash shall be disposed through TSDF and Log books/records shall be maintained properly for generation and disposal of incinerator Ash.
10. The transportation of Bio Medical Waste shall be done through GPS enabled vehicles and detail of vehicles with registration number, name and mobile number of driver shall be submitted to the UPPCB within a week.
11. PTZ camera shall be installed in process house and storage area of received Bio medical waste. Facility shall provide the URL and password to the Board within 01 month.
12. Discarded medicine shall be disposed through incinerator as per BMW Rule, 2016 and sharp pit shall be provided for disposal of waste sharp as per CPCB Guidelines.
13. The CBWTF shall comply with the Bio Medical Waste Management Rules 2016 and annual report shall be submitted.
14. The facility shall install and operate Online Continuous Emission Monitoring System effectively with data connectivity to CPCB server. The facility shall also calibrate installed OCEMS facility from recognized agency on six monthly basis.
15. The CBWTF shall comply with the provisions of Hazardous and Other waste (Management and Trans boundary Movement) Rules, 2016.
16. The facility shall ensure bar coding system to be adopted by member healthcare facilities in accordance with Bio Medical Waste Management Rules (BMWM) 2016.
17. Industry shall comply with the Office memorandum no. H 48273/C-1/NGT-83/2020 dated 27.02.2020 issued by UPPCB.
18. The Facility shall develop and maintain green belt as per the guidelines issued by the Board vide office order dated 16/02/2018, which is available on Board's Website- www.uppcb.com. The proposal for plantation in the coming monsoon shall be submitted within 01 month.
19. The facility shall provide the list of members attached to CBWTF and details of Bio medical waste received and disposed during last quarter shall be submitted and record shall be properly maintained.
20. Consent fees if revised, shall be payable by industry from the date of its applicability.
21. Separate space for untreated Bio Medical Waste shall be provided by facility as per CPCB guidelines/Bio Medical Waste Management Rules 2016.
22. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
23. Industry shall comply with the relevant provisions of Environmental Laws.
24. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.

Issued with the permission of competent authority .

Ajay Kumar Sharma

Digitally signed by Ajay Kumar Sharma
Date: 2021.03.06 18:53:08 +05'30'

For and on behalf of U.P. Pollution Control Board .

Chief Environmental Officer (circle-2)

UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand,Gomti Nagar, Lucknow-226010
Phone :2400852, 2400851, Fax:0651- 2400850
http://www.uppcb.com/

FORM III
(See Rule 10)
AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 11701663 and Date:-19/03/2021

2. M/s BAMDEV SMART SOLUTIONS PVT LTD, MANOJ KUMAR SHIVHARE an occupier or operator of the facility located at GATA NO- 474, MAUZA- MOHANPURWA, JIGNODA ROAD, BANDA,BANDA,210001 is hereby granted an authorisation for:

Generation, segregation		**Collection**	✓
Storage	✓	**Transportation**	✓
Reception		**Use**	
Recycling		**Offering for sale**	
Packaging		**Transfer**	
Treatment or Processing or Conversion	✓	**Disposal or destruction**	✓
Any other form of handling			

3. M/s BAMDEV SMART SOLUTIONS PVT LTD is hereby authorized for handling of biomedical waste as per the capacity given below:

(i) Number of beds of HCF: 6000
(ii) Number of health care facilities covered by CBMWTF: 4000
(iii) Installed treatment and disposal capacity: 250 Kg/Hr
(iv) Area or distance covered by CBMWTF: 150 Km
(v) Quantity of Biomedical waste handled, treated or disposed:

4. This authorisation shall be in force for a period of 5 Years Years from the date of issue.

4.1 The authorization shall be valid for till 19/03/2026

5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Ajay Kumar Sharma
Digitally signed by Ajay Kumar Sharma
Date: 2021.03.22 21:19:06 +05'30'

Date: 19/03/2021
Place: GATA NO- 474, MAUZA-
MOHANPURWA, JIGNODA ROAD, BANDA

Ajay Kumar Sharma
CEO-2

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.

2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.

3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.

4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.

5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.

6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. This authorization is valid for disposal of Bio Medical Waste through double chambered incinerator of capacity 250 Kg/hr, Autoclave of capacity 250 Kg/hr and Shredder of capacity-250 kg/hr
2. Incinerator shall be operated in accordance with Bio-Medical Waste Management Rules, 2016 w.r.t. maintenance of Temperature for primary and secondary chamber of incinerator.
3. The Authorization shall comply with provisions of the Environment (Protection) Act 1986 and the rules made there under.
4. The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the prescribed authority.
5. The Authorized person shall not rent, lend, transfer or otherwise transport the bio-Medical waste without obtaining prior permission of the prescribed authority.
6. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
7. It is duty of the Authorized person to take prior permission of the Board to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
8. The CBWTF shall ensure that bio-medical waste shall be treated and disposed off in accordance with schedule I and in compliance the standards prescribed in schedule V of Bio-Medical waste rules.
9. Bio- Medical waste shall be segregated into containers/ bags at the point of generation in accordance with schedule I. Prior to its storage, transportation, treatment and disposal. The Containers shall be labeled according to schedule IV.
10. Bio-Medical waste shall not be mixed with Municipal or other wastes.
11. No untreated bio-medical waste shall be kept stored beyond a period of 48 hours. If it becomes necessary to store beyond 48 hours you must take permission of the prescribed authority and to ensure that it does not adversely affect human health and the environment.
12. The CBWTF shall submit a regular ambient air monitoring report as well as stack monitoring report of incinerator to the Board to ensure the prescribed norms and regular transport the BMW of the hospital to the incinerator.
13. The CBWTF has to maintain the computer recording of online monitoring, automatic feeding system, flow measurement device, water column pressure in the primary chamber.
14. Colour Coded and lid covered containers must be used for segregation & collection of bio-medical waste.
15. CBWTF shall submit stack monitoring report of approved laboratory on six monthly basis.
16. The CBWTF shall submit an annual report to the U.P. Pollution Control Board in from IV by 31st January every year. And include information about the categories and quantities of Bio Medical waste during the preceding year.
17. You shall maintain record related to the generation, collection, reception storage, Transportation, treatment and disposal and / or any form of handling of Bio Medical Waste in accordance with rule and guidelines, all records shall be subject to inspection and verification by the Board at any time.
18. It is within the power and functions of U.P. Pollution Control Board to modify/ revoke the terms and conditions of Authorization and issued under the Rule 10 of the Bio-Medical waste Management Rules, 2016.
19. The CBWTF shall effectively operate and maintain ETP to treat the leachate generated during collection/ storage of biomedical waste.
20. The CBWTF shall operate and maintain the installed shredder and autoclave.
21. Plastic waste shall be disposed through authorized recycler after proper treatment and sterilization.
22. The Bio medical waste shall not be disposed-of in open place within the premises.
23. The occupier shall ensure compliance of Consent granted by Board under the provisions of Water (Prevention & Control of Pollution) Act, 1974 under section 25/26 and Air (Prevention & Control of Pollution) Act, 1981 under section 21/22.

Memo No.: 11701663 Dated:19/03/2021

Copy To:
Regional Officer, UPPCB, Banda

Ajay Kumar Sharma

Digitally signed by Ajay Kumar Sharma
Date: 2021.03.22 21:19:47 +05'30'

Ajay Kumar Sharma
CEO-2

UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand,Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831 Fax:0522-2720764 Email: info@uppcb.com Website: www.uppcb.com

Ref. No : 14106/UPPCB/Banda(UPPCBRO)/HWM/BANDA/2021

Dated :23/05/2021

To,

M/s BAMDEV SMART SOLUTIONS PVT LTD

GATA NO- 474, MAUZA- MOHANPURWA, JIGNODA ROAD, BANDA,BANDA,210001

Tehsil : Banda

District :BANDA

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 14106 and 23/05/2021 .
2. Reference of application (No. and date) 11702131 and 14/03/2021 .
3. Mr MANOJ KUMAR SHIVHARE of M/s BAMDEV SMART SOLUTIONS PVT LTD is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at GATA NO-474, MAUZA-MOHANPURWA, JIGNODA ROAD, BANDA .

Details of Authorisation

S No.	Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing, etc.	Quantity(ton/annum)
1	Incinerator ash (Sch.-1 Cat 37.2)	Through TSDF	25 MT/year
2	ETP Sludge (Sch.-1 Cat 37.1)	Through TSDF	2.5 MT/Year
3	Used and Spent Oil (Sch.-1 Cat 5.1)	Through TSDF	80 KL/Year

1. The authorization shall be valid for a period of 22/05/2026 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .

Scanned with OKEN Scanner

5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .

6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .

7. It is the duty of the authorised person to take prior permission ot the State Pollution Control Board to close down the facility .

8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .

9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .

10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .

11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any

12. An application for the renewal of an authorisation shall be made as laid down under these Rules .

13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .

14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .

15. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

B Specific Conditions of Authorization

1. The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers / bags shall be provided with a general label. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.
2. The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.
3. An application for the renewal of an authorization shall be made in form 1, before its expiry as laid down in rule. It is further brought to your notice that as per the order dated 14-11-2003 passed by the Hon'ble Supreme Court in W.P. (c) No. 657 of 1995, no industry covered under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 shall be allowed to operate without valid authorization. It is also provided in the same orders that industries which are not complying with the conditions of authorization shall not be allowed to operate. Hence in case you fail to apply for authorization, before its expiry or fail to comply with conditions of the earlier authorization issued to you, closure order shall be issued against your unit without any further notice.
4. The applicant must file returns on prescribed Form 4 along with a compliance report of this letter and should also maintain records on Form 3 and present it to Board’s inspecting officials.
5. In case of occurrence of an accident, complete details on form must be sent to U.P. Pollution

Scanned with OKEN Scanner

Control Board at the earliest along with details of mitigative and remedial measures taken.
6. The authorized person shall not receive, collect, or store any hazardous waste from any unauthorized occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental requirements and has a valid authorization of the Board.
7. In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers, of hazardous chemicals such as flammable corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.
8. It is within the powers and functions of the U.P. Pollution Control Board to modify / revoke the terms and conditions of the authorization issued under the Rule – 7 of Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.
9. You are directed to display board outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including waste water and air emission and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within 15 days of receipt of this letter.
10. It is the mandatory duty of the authorized person to comply with the guidelines for transportation of hazardous waste in accordance with rule 18 of Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016.
11. It should be ensured that hazardous wastes shall be properly collected and packed in HDPE bags and then temporarily stored in a lined RCC tank/pit with suitable shed.
12. An ETP sludge/salt test report of a laboratory approved under E.P. Act shall be submitted along with compliance of this letter of this office.
13. Used oil shall be sold only to recyclers registered with U.P. Pollution Control Board. The record shall be maintained.
14. The occupier, transporter and operator of a facility shall be liable for damages caused to the environment resulting due to improper handling and disposal of hazardous waste listed in schedule 1,2, and 3 and shall be liable to pay a fine as levied by the State Pollution Control Board under the rules.
15. You shall have the valid membership of any common TSDF for S.L.F. (M/S U.P. Waste Management Project Kumbhi Kanpur Dehat or M/s Bharat Oil and Waste Management Ltd., Kumbhi, Akbarpur, Kanpur Dehat. permitted by U.P.P.C.B)., and start sending the stored hazardous wastes for final disposal to the TSDF and report back to U.P.P.C.B. with the required manifesto (document of proof) within three month of this letter. The authorized incinerator is with M/s Bharat Oil Company, Sahibabad, Ghaziabad for oily waste and paint sludge only.
16. You are required to store the hazardous waste safely and send it to TSDF/Incinerator within Ninety days
17. This authorization is valid till the facility is having valid consent as per the provisions of Air (Prevention and Control of Pollution) Act 1981 and Water (Prevention and Control of Pollution) Act, 1974.

(Authorized Signatory)

Ajay Kumar Sharma

Digitally signed by Ajay Kumar Sharma
Date: 2021.05.27 20:33:46 +05'30'

UTTAR PRADESH POLLUTION CONTROL BOARD

Scanned with OKEN Scanner

Copy to: To the Regional Officer, U.P.Pollution Control Board, Banda for information and necessary action .

Ajay Kumar Sharma

Digitally signed by Ajay Kumar Sharma
Date: 2021.05.27 20:34:04 +05'30'

CEO/EE, I/C Circle_____

Scanned with OKEN Scanner